

 CITTERIO



Bridge Lockers/

Design by/ P. Borgonovo & P. Pampanoni

Furniture

A **COLLECTION**
OF **MODULAR**
CABINETS,
DESIGNED TO
CREATE
STORAGE
ISLANDS




- **MODULAR SYSTEM** IN THREE SIZES
- **STRUCTURAL SIDE** PANELS IN 28-mm-thick PARTICLE BOARD
- 14-mm-thick **TOPS, BACK PANELS AND DOORS**
- **ADJUSTABLE FEET**
- **STANDARD OR LOWERED DOORS**
- **DOORS** WITH **ANTI-SHOCK SEALS** AND **SOFT-CLOSE HINGES**
- **3 TYPES OF LOCKS**
- **CUSTOM** GRAPHICS AND FONTS

ABACUS




01

structure/




Initial columns/

L 40
P 40
H 117, 5-155, 9-194, 3



Intermediate columns/

L 40
P 40
H 117, 5-155, 9-194, 3




External side panels/

L 2, 8
P 40
H 117, 5-155, 9-194, 3


02

shelves/



Fixed/

L 37, 2
P 37, 6
H 1, 4



Moving/

L 37, 2
P 35, 2
H 1, 4

03

doors/




1 module/

L 37
P 1, 4
H 36, 8



2 modules/

L 37
P 1, 4
H 75, 2



3 modules/

L 37
P 1, 4
H 113, 6

04

doors postman/



1 module/

L 37
P 1, 4
H 34, 9




2 modules/

L 37
P 1, 4
H 73, 3



3 modules/

L 37
P 1, 4
H 111, 7



**MODULAR
DOORS** ARE
RECESSED WITH
RESPECT TO
THE **SIDES**
AND **TOP**



THREE TYPES OF LOCKS



Mechanical lock
with coded key



Mechanical
combination lock



Electronic lock
with badge



**LOWERED
DOOR**
WITH A **SLOT**
FOR THE
PASSAGE OF
CORRESPONDENCE



MODULES IN THREE HEIGHTS



**CUSTOMISED
GRAPHICS
FOR IMMEDIATE
IDENTIFICATION
OF STORAGE
COMPARTMENTS**





FINISHES AND UPHOLSTERIES



Melamine



M69
Ice white



M68
Pure white



M70
Scroll grey




M66
Line grey



M67
Carbon grey



N60
Light oak




N62
Brown ash



N63
Titanium larix

Lacquered



O101
White




O200
Black



O170
Mustard



O160
Platinum



O130
Green grey



CITTERIO SPA

VIA DON GIUSEPPE BRAMBILLA 16/18
23844 SIRONE (LECCO) - ITALIA
T. +39.031.853545 | F. +39.031.853529 |
www.citteriospa.com | vendite@citteriospa.com

ISO 9001 and ISO 14001 certified company
FSC[®] License C141846 - Leed[®] Compliance